# Purchase Order Receipt Listing

Wednesday, June 14, 2017 2:23:22 PM

All amounts are calculated in domestic currency. All Vendors PO ID PO36352 Receipt Dates from 6/14/2017 to 6/14/2017 All Line Item Types All Item ID/GL/WOs All Rec. Employees All Currencies Grouped by Vendor ID

Book Amt		\$0.00		80.00	80.00
MRB Qty/ MRB Reject Qty	· c	0	•	0	0
Inspected Qty/ Rejected Qty (PO U/M)	00000	0.0000	00000	0.0000	0.0000
Cost Per Unit/ Recv Value					
Recv Qty (PO U/M)	12.0000		12.0000		10.0000
Recv Date/ Recv Emp	<b>910720</b> 6/14/2017 6/14/2017	QUIR01	6/14/2017 6/14/2017	QUIR01	6/14/2017 6/14/2017 10.0000 QUIR01
Required Date Required Qty	(a) Inc C/O 910720 6/14/2017	12.0000	6/14/2017	12.0000	6/14/2017
PO U/M / Stock U/M	A.M. Castle & Co. (Canada) Inc C/O 910720 .000X0.3 f 6/14/20	8 5.000" f	000X1.0 f	\$ 5.000" f	D6102-013P Each 6061-T6 7.0X6.5X2.0 Each M137781
Project ID Reference/ Description/ Cert Std	VU-MET002 A.M. Castl M7075T6B5.000X0.3 f 75	7075-T6 BAR 5.000" f X 0.375" M137781	M7075T6B5.000X1.0 f	7075-T6 BAR 5.000" f X 1.000" M137781	D6102-013P 6061-T6 7.0X M137781
Line Projec Nbr/ Insp Req		No	2	No	9 No
Purchase Order ID/ Curr Type	VendorID\Vendor Name PO36352	OSD			

34.0000 0.0000 0.0000 \$0.00 0.0000

Total Received Quantity:
Total Qty to Inspect (PO U/M):
Total Reject Quantity:
Total Receipt Value:
Total Balance Due Quantity:



# CERTIFICATE OF CONFORMANCE PACKING SLIP/

A. M. Castle & Co.

Page 1 of 2

Shinment No.3305252

Ship From:		Sold To:	:0	Ship To:	Deliver To:	
A. M. CASTLE & CO. 2150 ARGENTIA ROAD	CO.	1270 A	DART AEROSPACE LTD 1270 ABERDEEN	DART AEROSPACE LTD 1270 ABERDEEN		ACE LTD
MISSISSAUGA, ON L5N	ON L5N	HAWK	HAWKESBURY, ON K6A 1K7	HAWKESBURY, ON	HAWKESBURY ON	NO
2K7 CAN		CA		K6A 1K7 CAN	K6A 1K7 DAS CA 6	
Date Shipped	F.O.B.		Freight Terms	Carrier	N ION	JUN 1 & 2017
13-JUN-17	ORIGIN	7	Prepaid	MANITOULIN	3305252-2	-2
Shipment Details	S			Final Destination Branch - TOR	ا-TOR گهرچ	
Order No	Line No		Item No	Description	DAG	
4765330	~	7	750067.MO	0.3750.PL.7075.T651.ALUMINUM.48.5000.144.5000 CUT 2SIDED TO 5 IN ( + .1250/0000 IN) X 144.5 IN () - ALUMINUM PI ATE SAW SPECIFICATIONS: AMS OO A 2504.3	JMINUM.48.5000.144.5 .1250/0000 IN) X 144	000 .5 IN () - ALUMINUM
Purchase Order No	No	Part Number	mber	Ordered Oty	I CINO. AIVIO-QQ-A-ZOC	71.7
36352				100 PCS	1 00 DCS	ATY.
Details	ALL PA	ALL PAPERWORK MU ALL MATERIAL MUST		ST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY HAVE IDENTIFYING MARKINGS EX:HFAT #'S	RECEIVE AT TIME OF #'S	DELIVERY
	Email F END US END US	Email P/s and certs to: END USER: DART AEF END USE: COMMERC		o.com	)	
Delivery No.	Mill	Hea	ber	d PCS	Width (IN) Langth (IN)	Chimad Ot./1 De
121083325	KAISER ALUMINUM	2				28.3863

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified.

They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 13-JUN-2017 03:46:46 PM We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description.



# CERTIFICATE OF CONFORMANCE PACKING SLIP/

A. M. Castle & Co.

Test reports are on file subject to examination. All claims for defective material are waived unless made in writing to A.M. Castle & Co. within 60 days of the shipment. Material cut to the correct size, or material cut by the customer cannot be returned for credit.

| Data: | Nama: Page 2 of 2

Name:

Date:



These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified.

They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 13-JUN-2017 03:46:46 PM

SHIP TO:

A M CASTLE & CO 14001 ORANGE AVE P.O. BOX 1402 PARAMOUNT, CA 90723 KAISER ALUMINUM

Trentwood Works - Spokane, WA 99215 Phone: (800) 367-2586

# CERTIFIED TEST REPORT

Serial Number 4462372

SOLD TO:

AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523

419728-1	ER:	WORK PA	CKAGE:	750087	RT NUMBER		SHIP RUN/LOAD: 103914/13	GOV'T C	ONTRACT NUMBER	<b>:</b>
1234424-1			DATE: AY-2017	7075	CLAD: BARE	TEMPER T651	Sawed P		ON:	
WEIGHT SHIPPED: 2722 LB	10 PG	TY: S.EST.	2066	719	GAUGE: 0.3750	IN ( 9.5250 MI	10 DIAMETERW 48.500 IN	231.9 MM)	LENGTH: 144.500 IN	(3670.3 MM)

MHU 2109207: LØT 215030B8: 10 pieces;

**Certified Specifications** 

AMS-QQ-A-250/12/RevA

DAS 14 9-89

ASTM B 209/Rev 14

Test Code: 1512

Lot: 215030B8

AMS 4045/RevL

CMMP 025/RevV

Cast 407

Drop 72

**Test Results** 

Ingot 1

Melted In USA

(ASTM-E8/8557)

(EN 2002-1) Tensile:

Temper T651

Dir / # Tests LT / 2 (Min:Max) Ultimate KSI (MPA) 85.5:85.8

Yield KSI (MPA) 76.5:76.9

Elongation % 12.4:12.9

(590:592)(527:530)

(ASTM E1251)

Chomistry: SI Actual(wt%) 0.06

FE CU MN 0.13 1.4 0.02 MG CR 2.5 0.19

ZN

5.9

6.1

0.01

0.00

0.05

ZR

0.01

OTHER 0.05

TOT

**EACH** 

TOT

**ALLOY LIMITS** 

MG

2.1

SI FE CU MN 7075 MIN(wt%) 0.00 0.00 1.2 0.00 MAX(wt%) 0.40 0.50 2.0 0.30

CR ZN 0.18 5.1

TI 0.00

0.20

TI

0.02

ZR OTHER 0.00

0.05

MAX

0.05

0.15

2.9 0.28 Aluminum Remainder

> ORDER COMMENTS AMC CA-15409 R 3





Trentwood Works - Spokane, WA 99215 Phone: (800) 367-2586

# CERTIFIED TEST REPORT

Serial Number 4462372

### CERTIFICATION

Kalser Abminium, Trentwood Works, is ISO 9001, AS9100, and ISO 14001 certified, and hereby certifies that all material snipped under this order:

All test equipment and measuring devices or cationated and could be in conformance with the requirements of the specifications indicated herein.

All test equipment and measuring devices or cationated and costified in accordance placets apacifications. For materials thicknesses outside specification illustration in the conformation of the specification in the foliation in the conformation in the c

JAMES HEMENWAY, TECHNICAL PROCESS MANAGER

Page 2 of 2



# PACKING SLIP/ CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 1 of 2

Shipment No:3305252

Ship From:		Sold To:		Ship To:		Deliv	Deliver To:	
A. M. CASTLE & CO. 2150 ARGENTIA ROAD	CO. ROAD		ACE LTD	DART AE 1270 ABE	DART AEROSPACE LTD 1270 ABERDEEN	DAR 1270	DART AEROSPACE LTD 1270 ABERDEEN	CELTD
MISSISSAUGA, ON L5N 2K7 CAN	ON L5N	HAWKESBURY, CA	RY, ON K6A 1K7	HAWKESBUR K6A 1K7 CAN	HAWKESBURY, ON K6A 1K7 CAN	HAWKES K6A 1K7 CA	HAWKESBURY, ON K6A 1K7 CA	N <sub>O</sub>
Date Shipped	F.O.B.	Freigh	Freight Terms	Carrier	ier		BOL No	
13-JUN-17	ORIGIN		-	MAN	MANITOULIN		3305252-2	2 0.
Shipment Details	S			Final De	Final Destination Branch - TOR	-TOR		2. 6 SUN 14 2017
Order No	Line No	o Item No	1	Description	ion			
4765330	2	752188.MO	2	1.0000.P CUT 2SII IN) - AL	1.0000.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 5 IN ( + .1250/0000 IN) X 71.87 IN ( + IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS.	MINUM.US 1250/000 SAW SPEC	SI.48.5000.14 00 IN) X 71.8 SIFICATIONS	1.0000.PL.7075.T651.ALUMINUM.USI.48.5000.144.5000 CUT 2SIDED TO 5 IN ( + .1250/0000 IN) X 71.87 IN ( + .1250/0000 IN) - ALUMINUM PLATE SAW SPECIFICATIONS: AMS-QQ-A-250/12
Purchase Order No	No	Part Number		Ordered Qty	Qty		Invoice Qtv	2tv
36352				2.00 PCS			2.00 PCS	
Details	ALL PA ALL MA Email P END US	ALL PAPERWORK MUST FOLLOW ORDER / CUSTOMER MUST RECEIVE AT TIME OF DELIVERY ALL MATERIAL MUST HAVE IDENTIFYING MARKINGS EX:HEAT #'S Email P/s and certs to: clavoie@dartaero.com END USER: DART AEROSPACE END USER: DART AEROSPACE	JST FOLLOW ORDER / HAVE IDENTIFYING M clavoie@dartaero.com ROSPACE	DER / CUS	IST FOLLOW ORDER / CUSTOMER MUST REC HAVE IDENTIFYING MARKINGS EX:HEAT #'S clavoie@dartaero.com ROSPACE	ECEIVE A'	T TIME OF D	ELIVERY
Delivery No.	Mill	Heat Number	2	Mech Id	PCS Wie	Width (IN)	Length (IN)	Shipped Qtv(LBS)
	KAISER ALUMINUM	7 8 9 0 7 3 A 4			2			74.8391

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified. They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations. We hereby certify the material covered by this certification conforms in accordance with the above specifications and has been found to meet the applicable requirements for the material, including any specifications forming a part of the description.

Date Printed: 13-JUN-2017 03:46:46 PM



# PACKING SLIP/ CERTIFICATE OF CONFORMANCE

A. M. Castle & Co.

Page 2 of 2

or certification are our me conjugate to an interest of the contract of the conjugate of th				
wed by Authoriz	Date:	Name:		

Lini Hall



These items are controlled by the U.S. Government and authorized for export only to the country of ultimate destination for use by the ultimate consignee or end-user(s) herein identified.

They may not be resold, transferred, or otherwise disposed of, to any other country or to any person other than the authorized ultimate consignee or end-user(s), either in their original form or after being incorporated into other items, without first obtaining approval from the U.S. Government or as otherwise authorized by U.S. law and regulations.

Date Printed: 13-JUN-2017 03:46:46 PM

SHIP TO:

A M CASTLE & CO 14001 ORANGE AVE P.O. BOX 1402 PARAMOUNT, CA 90723

SOLD TO:

AM CASTLE & CO- SOLD TO 1420 KENSINGTON RD SUITE 220 OAK BROOK, IL 60523



Trentwood Works - Spokane, WA 99215 Phone: (800) 367-2586

# **CERTIFIED TEST REPORT**

Serial Number 4431698

387506-1	ER:	WOR	K PACKAGE:	752188	RT NUMBER:			73/12	GOV'T CONTRACT NUMBER:	
KAISER ORDER NO: 1216609-1			SHIP DATE: 3-SEP-2016	ALLOY: 7075	CLAD: BARE	TEMPER T651	t:	PRODUCT DESCRIPTION:  KaiserSelect Plate		
WEIGHT SHIPPED: 3582 LB	5 PCS			(B/L #:	1.0000	N 25.4000 M	1	18.500 IN	144.500 IN	70.3 MM)

MHU 2021173: LOT 789073A4: 5 pieces;

### **Certified Specifications**

**Test Results** 

AMS 4045/RevL ASTM B 209/Rev14 BSS 7055/RevB DPS 4.713/RevAK PS 21211/RevP

Test Code: 1512

AMS-QQ-A-250/12/RevA ASTM B 594/Rev13 CMMP 025/RevV GAMPS 9101/RevB/AmdSCN1 AMS-STD-2154/RevA BAC 5439/RevJ CSTI 006/RevE GSS16100/RevG/Amd1

1631 GBGG	1012				I Cat I	counts						
Lot: 789073	Cas	st 225	Di	rop 22		Ingot 2	Pa	rent Lot:	186833	2B2	Melted	in USA
(ASTM EB/B	3557)											
(EN 2002-1)	)											
Tensile:	Temper	Dir / A	Tests		Ultimate I	(SI (MPA)	Yield	KSI (MPA	()	Elongatio	n %	
	T651	LT / 2	(Min:Ma	ix)	82.1:83	.1	72.4	: 73.6		12.7:13	3.3	
					(566 : 57	3)	(499	: 507)				
(ASTM E12	51}											
Chemistry:	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR		OTHER
Actual(wt%	0.07	0.17	1.5	0.03	2.6	0.20	5.8	0.03	0.01	0.01	TOT	0.05
					ALLOY E	IMITS.						
	SI	FE	CU	MN	MG	CR	ZN	TI	V	ZR	OTHER	MAX
7075												
MIN(wt%)	0.00	0.00	1.2	0.00	2.1	0.18	5.1	0.00	0.00	0.00	EACH	0.05
MAX(wt%)	0.40	0.50	2.0	0.30	2.9	0.28	6.1	0.20	0.05	0.05	TOT	0.15
				A	duminum P	lemainder						

ORDER\_COMMENTS AMC CA-15403 R 8





## CERTIFIED TEST REPORT

Serial Number 4431698

Trentwood Works - Spokane, WA 99215 Phone: (800) 367-2586

### **TEST NOTES**

Metal represented by this test report was 100% Type I (immersion) ultrasonically tested from one side with 3mm dead zones top and bottom and meets the Class A and Class B requirements of all specifications referenced on this test report. No surface marking of sonic indications is performed.

### CERTIFICATION

Keeser Aluminum, Trentwood Works, is 50 9001, AS9100, and ISD 14001 certified, and hereby certifies that all material shipped under this order:

\* has been inspected, tested, and found to be in conformance with the requirements of the specifications indicated herein.

All test equipment and measuring devices are calibrated and certified in accordance applicable specifications. For material thicknesses outside specification limits, machanical properties are as shown herein and chemical composition means specification requirements. Reported elongation values have been measured as elongation at fracture.

\* was melted in the United States of America or a qualifying country per DFARS 252.872 (1s), was manufactured in the United States of America, and meats the requirements of DFARS 252.225 for

was melted in the United states of America or a quarrying country per braws 225.072 Mar, was reading to the United States of America or a quarrying country per braws 225.072 Mar, was reading to the United States of America, and meets the domain of the States of America and United States of America and United States of America and United States of States of America and United States of America and United States of States of Conference Approximation of America and United States of Conference Approximations (as the Conference Approximation States of Conference Approximation of the Conference Approximat

is tree of weld repair.

" meats the reporting requirements of EN10204, Type 3.1.
"meats the reporting requirements of EN10204, Type 3.1.

Any warranty is limited to that shown on Kaiser Aluminum's standard general terms and conditions of sale. Teat reports are on the, subject to examination. Test reports shall not be reproduced except in full, without the written approval of the Kaiser Aluminum laboratory. The recording of Islae, fictitious or fraudulent statements or entries on the certificate may be purished as a falony under federal law.

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL: 1707			00e X 1:00e		PO / BATCH NO.	2036352/MI3778
MATERIAL CERT REC'D:  QUANTITY RECEIVED: 12'  QUANTITY INSPECTED:  QUANTITY REJECTED:		y =	S	THICK	NESS ORDERED: NESS RECEIVED: SIZE ORDERED: SIZE RECEIVED:	111
DESCRIPTION	(Ch	CR neck (N)			COMMENTS	
SURFACE DAMAGE	Y	N				
CORRECT FINISH	0	N				
CORROSION	Y	0				
CORRECT GRAIN DIRECTION	(8)	N				
CORRECT MATERIAL PER M-DRAWING	Y	0	Ams QQ	ADE	0	
CORRECT THICKNESS	(4)	N	,			
PHOTO REQUIRED	Y	(1)				
CORRECT REF # TO LINK CERT	8	N	W+# 789	073		
CORRECT MATERIAL IDENTFICATION	8	N				
CORRECT M# ON THE MATERIAL	0	N				
DOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	M	N				
DOES THIS REQUIRE AN EXTRUSION REPORT	Y	(R)				
CUT SAMPLE PIECE	OF	MAT	ERIAL AND PRE	FORM	A HARDNESS C	HECK.
	F	RECO	ORD RESULTS B	ELOW		
TYPE OF MATERIAL SIZE OF TEST SAMPLE			HRC	HRB	DUR A	DUR D
HARDNESS / DUROMETER REA		_				
	te	sters	located in the Quali	y Office		

QC 18 INSPECTION	ENGINEERING SIGNOFF (if required)
INSPECTED BY: 9-89	
DATE:	DATE:

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in



DESIG	4	DRAWN BY	DART AEROSPACE LTD HAWKESBURY, ONTARIO, CANADA
CHECK	(ED	APPROVED 1	DRAWING NO. REV. B
(	PH	林	7075T6B SHEET 1 OF 1
DATE			TITLE SCALE
06.1	1.24		7075-T6 BAR NTS
Α		05.07.20	NEW ISSUE
В		06.11.24	REMOVED "ROUND" FROM BAR DESCRIPTION



PURCHASE MATERIAL: 7075-T6 (OR T651/ T6510/ T6511/ T62) ALUMINUM BAR

PER AMS-QQ-A-225/9 (OR AMS 4122/ 4123/ 4186/ 4187) OR

PER AMS-QQ-A-200/11

PART NUMBER: M7075T6B T.TTT X WW.WWW WHERE T.TTT = THICKNESS IN INCHES WW.WWW = WIDTH IN INCHES

EG. 1.0" x 1.5" BAR = M7075T6B1.000X01.500

# MATERIAL RECEIPT INSPECTION FORM

MATERIAL CERT REC'D: QUANTITY RECEIVED:	ye	2			ESS ORDERED		
QUANTITY INSPECTED:	1	5			IZE ORDERED		
QUANTITY REJECTED:					IZE RECEIVED		
550000000000000000000000000000000000000		CR					
DESCRIPTION	1	neck /N)		(	COMMENTS		
SURFACE DAMAGE	Y	M					
CORRECT FINISH	R	N			*		
CORROSION	Y	N					
CORRECT GRAIN DIRECTION	8	N					
PRRECT MATERIAL PER M-DRAWING	(Y)	N	A495-01	1-A-251	)//2		
CORRECT THICKNESS	(Y)	N					
PHOTO REQUIRED	Y	N					
CORRECT REF # TO LINK CERT	Y	N	HEAT.	#215	03088		
RRECT MATERIAL IDENTFICATION		N	MACK	JUBSI	ONXO 37	rs	
ORRECT M# ON THE MATERIAL	8	N	P113++	3/			
OOES THIS MATERIAL REQUIRE ENGINEERING SIGN OFF	Y	Ñ					
DOES THIS REQUIRE AN							
EXTRUSION REPORT	Υ	N					
CUT SAMPLE PIECE			ERIAL AND F		HARDNESS (	CHECK.	
TYPE OF MATERIAL			HRC	HRB	DUR A	DUR D	
SIZE OF TEST SAMPLE							
HARDNESS / DUROMETER REA	DIN	3					
* (INDITEGO / DOINGINETER INC.)			located in the Q	undida. Office			

Attach this inspection sheet with the corresponding material cert and remit to be scanned and received in

SIGNED OFF BY:

INSPECTED BY:

DELEASED 2010-15-16

PE DART AEROSPACE LID A
HAWRESBURY, CMTARIO, CAMADA
M7075T6S
TITLE 7075-T6 SHEET SPEC # # 8 00 8 # 10.11.08 A NEW ISSUE CHECKED
MFG. APPR.
APPROVED
DE APPR.
DATE 10 DESIGN

PURCHASE MATERIAL: 7075-76/762 ALUMINUM SHEET

٥

SPECIFICATION CONTROL DRAWING

۵

QQ-A-250/12 OR AMS-QQ-A-250/12 OR AMS 4045 OR ASTM B209 SPECIFICATION:

S

PURCHASE MATERIAL: 7075-T6/T62 ALCLAD ALUMINUM SHEET

QQ-A-250/13 OR AMS-QQ-A-250/13 OR AMS 4049 OR ASTM 8209 SPECIFICATION:

PART NUMBER:

Ų

M7075T6S XXX

O

WHERE "XXX" = SHEET THICKNESS (IN INCHES)

EG. 0.063" THICK SHEET = M7075T8S.063

JOOK BY 4FT BY 10FT PREFERRED SIZE:



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

## PURCHASE ORDER

### Purchase Order ID PO36352

Purchase Order Date 5/17/2017 PO Print Date 5/17/2017

Page Number 1 of 5

Order From:

METAUX CASTLE P.O. BOX 4090 STN A TORONTO, ONTARIO M5W OE9

CANADA

VU-MET002

Ship To: DART AEROSPACE LTD

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

E-MAY 1 7 2017

Contact Name

Vendor Phone

Ship To Contact Ship To Phone

Ship Via:

Ship Acct:

Yours ppd

Buyer

**Customer POID** 

Customer Tax #
Terms

Currency FOB Chantal Lavoie

10127-2607 Net 30

USD

Destination-Collect

Line Nbr	Reference Vendor Part Number Line Comments Delivery Comments	Description/ Mfg ID	Req Date/ Taxable Promise Date	CD Req Qty/ Unit of Measure	/	PO Unit Price	Extended Price
I	M7075T6B5.000X0.375	7075-T6 BAR 5.000" X 0.375"	6/12/2017 Yes	12.00		01.812	\$217.20

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE

M7075T6B5.000X1.000

7075-T6 BAR 5.000" X

1.000"

6/12/2017

6/12/2017

Yes

6/12/2017

MATERIAL: 7075-T6 OR T651/T6510/T6511/T62 ALUMINUM BAR AS PER AMS-QQ-A-225/9 OR AMS 4122/4123/4186/4187 OR PER AMS-QQ-A-200/11 OR QQ-A-250/12 CUT FROM PLATE Line Total:

\$217.20

\$39.90

\$478.80

JUN 1 4 2017

Line Total:

\$478.80



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

### PURCHASE ORDER

### Purchase Order ID PO36352

Purchase Order Date 5/17/2017 PO Print Date 5/17/2017

Page Number 2 of 5

Order From:

METAUX CASTLE P.O. BOX 4090 STN A TORONTO, ONTARIO M5W OE9

CANADA

VU-MET002

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Contact Name

Vendor Phone

Ship To Contact Ship To Phone

Ship Via: Ship Acct: Yours ppd

D6101-001P

7075-T7351 2X6X6.25 L

6/12/2017

6/12/2017

Chantal Lavoie Buyer

**Customer POID** 

Customer Tax # Terms

Net 30 USD Currency

**FOB** 

Destination-Collect

10127-2607

50.00 Each

\$26.88

\$1,344.00

AS PER DWG \$6101 REV. B

B161493

SIZE: 6.00" X 6.250" X 2.00" THICK **GRAIN DIRECTION ALONG 6.00" LENGHT** MATERIAL: 7075-T7351 QQ-A-250/12

TOLERANCE AS PER QUOTE +.030"/-.000"

D6101-003P

7075-T7351 2X6.25X7.875

6/12/2017

6/12/2017

Line Total:

\$1,344.00

\$1.411.60

AS PER DWG DOIDI REV. B

B161494

SIZE: 7.875" X 6.250" X 2.00" THICK **GRAIN DIRECTION ALONG 7.875" LENGHT** MATERIAL: 7075-T7351 QQ-A-250/12

TOLERANCE AS PER QUOTE +.030"/-.000"

40.00 Each

\$35.29

Line Total:

\$1,411.60



METAUX CASTLE

P.O. BOX 4090 STN A

TORONTO, ONTARIO M5W OE9

Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

## **PURCHASE ORDER**

# Purchase Order ID PO36352

Purchase Order Date 5/17/2017 PO Print Date 5/17/2017

Page Number 3 of 5

Order From:

VU-MET002

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

CANADA

Contact Name Vendor Phone

Ship To Contact Ship To Phone

Ship Via:

Yours ppd

Ship Acct:

D6101-013P

Saddle Billet

6/12/2017

Yes

6/12/2017

Chantal Lavoie Buyer

**Customer POID** 

Customer Tax #

Terms Currency

**FOB** 

10127-2607

Net 30

USD

Destination-Collect

6.00 Each

\$73.15

\$438.90

AS PER DWG DG OI REV. B

B161495 \

MATERIAL: 7075-T7351 (QQ-A-250/12) SIZE:10.100" X 8.250" X 2.50" THICK GRAIN DIRECTION ALONG: 10.100" LENGTH

TOLERANCE AS PER QUOTE +.030"/-.000"

D6102-013P

6061-T6 7.0X6.5X2.0

6/12/2017

Yes

6/12/2017

Line Total:

10.00 Each \$31.65

\$316.50

\$438.90

AS PER DWG D6102 REV. D B161496

SIZE: 7.000" X 6.500" X 2.00" THICK **GRAIN DIRECTION ALONG 6.500"** MATERIAL 6061-T6/T6511 QQ-A-250/11

TOLERANCE AS PER QUOTE +.030"/-.000

2107 7 1 NOT

Line Total:

\$316.50



Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7

Tel: 613 632 9577 Fax: 613 632 1053

# **PURCHASE ORDER**

### Purchase Order ID PO36352

Purchase Order Date 5/17/2017 PO Print Date 5/17/2017

Page Number 4 of 5

Order From :

METAUX CASTLE P.O. BOX 4090 STN A TORONTO, ONTARIO M5W OE9 CANADA

VU-MET002

DART AEROSPACE LTD Ship To: 1270 ABERDEEN HAWKESBURY, ON K6A 1K7 CANADA

Contact Name

Vendor Phone

Ship To Contact Ship To Phone

Ship Via: Ship Acct: Yours ppd

Round Alum Billet

6/12/2017

Chantal Lavoie Buyer

**Customer POID** 

Customer Tax# Terms Currency

FOB

10127-2607 Net 30 USD

Destination-Collect

D6103-003P

Yes

6/12/2017

10.00 Each

\$60.40

\$604.00

AS PER DWG D6103 REV. B

B161497

MATERIAL: 7075-T7351 AS PER QQ-A-225/9

SIZE: 3.500" X 12.500" LONG

Line Total:

\$604.00

D6104-007P

17-4 SS Roundbar 4.50"Od

6/12/2017 Yes

6/12/2017

10.00 Each \$68.53

\$685.30

AS PER DW D6104 REV. B

B161498 W

MATERIAL: 17-4 PH AS PER AMS 4643 OR AISI 630

SIZE: 4.50" X 5.10" LONG

175-

Line Total:

\$685.30



METAUX CASTLE

P.O. BOX 4090 STN A

TORONTO, ONTARIO M5W OE9

Dart Aerospace Ltd. 1270 Aberdeen Street Hawkesbury, ON K6A 1K7 Tel: 613 632 9577

Fax: 613 632 1053

# **PURCHASE ORDER**

## Purchase Order ID PO36352

Purchase Order Date 5/17/2017 PO Print Date 5/17/2017

Page Number 5 of 5

Order From:

VU-MET002

DART AEROSPACE LTD Ship To:

1270 ABERDEEN

HAWKESBURY, ON K6A 1K7

CANADA

Buyer

Terms

**FOB** 

Currency

Customer POID

Customer Tax#

Contact Name

CANADA

Vendor Phone

Ship To Contact

Ship To Phone

Ship Via:

Yours ppd

Ship Acct:

procurement quality clauses

6/12/2017

Chantal Lavoie

10127-2607

Net 30

USD

Destination-Collect

71401-45

No 6/12/2017

1.00

\$0.00

\$0.00

Procurement Quality Clauses

A005 right of entry

A012 chemical and physical test report

A016 personnel qualification

A017 raw material identification (as applicable)

A026 certification of material conformance

A041 quality management system

A042 dart notification by supplier

A043 retension of quality documents

P17-5-23

Line Total:

\$0.00

PO Total:

\$5,496.30

Note: Terms & Condition of Purchasing(Suppliers) and Procurement Quality Clauses are an integral part of our AS9100 requirements. To learn in detail, please visit www.dartaerospace.com for further explanation.

Change Nbr:

1

Change Date:

5/17/2017